

### **Listing of the Claims**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Previously presented) A method for producing a fertilizer, comprising the step of spraying a ferment comprising active bacteria in a fermentation medium onto a granular fertilizer, said ferment being used at a rate of at most 3 liters of ferment per ton of fertilizer, and wherein said ferment is obtained from a fermentation stopped before bacteria get into a dormant stage and have a lag time upon re-hydration.
2. (Original) The method of claim 1, wherein the ferment is used at a rate of 0.5 to 2.0 liter of ferment per ton of granular fertilizer.
3. (Original) The method of claim 1, wherein the ferment is cooled down prior to being mixed with the granular fertilizer.
4. (Original) The method of claim 3, wherein the ferment is cooled down to about 0°C to 12°C.
5. (Original) The method of claim 4, wherein the ferment is cooled down to about 0°C to 5°C.
6. (Original) The method of claim 1, wherein the ferment of active bacteria is obtained by fermentation of said bacteria until the end of the exponential growth phase.
7. (Original) The method of claim 6, wherein fermentation is allowed to proceed until a concentration of bacteria of at least  $10^8$  cells/ml is obtained.
8. (Original) The method of claim 6, wherein the fermentation medium at the end of the exponential growth phase still contains nutrients for said bacteria.

9. (Original) The method of claim 1, wherein additional fermentation medium is sprayed on the granular fertilizer.

10. (Cancelled)

11. (Original) The method of claim 1, wherein the bacteria adheres to the granular fertilizer.

12. (Original) The method of claim 1, wherein the ferment is sprayed onto a binding agent, said binding agent being thereafter mixed with the granular fertilizer.

13. (Original) The method of claim 12, wherein the binding agent is selected from the group consisting of talc, flour, starch, sugar, and powdered milk.

14. (Original) The method of claim 1, wherein the ferment is subjected to a step of concentration prior to being mixed with the granular fertilizer.

15. (Original) The method of claim 14, wherein the step of concentration comprises at least one of centrifugation, dia-centrifugation, filtration and dia-filtration.

16. (Previously presented) A fertilizer produced by the method of claim 1, said fertilizer comprising:

- a) an agglomerate chemical substance containing at least one source of at least one of nitrogen, phosphate and potassium for use as granular fertilizer on crops or soils; and
- b) bacteria,

wherein said bacteria are being active upon re-hydration without lag time.

17. (Cancelled)

18. (Previously presented) The fertilizer of claim 16, wherein the bacteria have been dehydrated prior to getting into a latent stage or prior to sporulation.
19. (Previously presented) The fertilizer of claim 16, wherein the bacteria are mixed with a binding agent.
20. (Previously presented) The fertilizer of claim 19, wherein the binding agent is selected from the group consisting of talc, flour, starch, sugar, and powdered milk.
21. (Previously presented) The enhanced fertilizer of claim 16 further comprising nutrients for the bacteria.
22. (Previously presented) A method of producing a bacteria and fertilizer composition comprising:
  - providing a granular fertilizer;
  - providing a bacterial ferment comprising active bacteria in a fermentation medium in which fermentation of the active bacteria in the ferment is stopped prior to the bacteria entering a dormant stage; and
  - spraying the bacterial ferment onto the granular fertilizer at a rate of less than 3 liters bacterial ferment per ton of granular fertilizer thereby producing a bacteria and fertilizer composition.
23. (Cancelled)